




RISK ASSESSMENT FOR ASSAULT COURSE & ACTIVITY MAIZE										
Work area Activity Halls or outdoors			<p>The bouncy castle Assault Course is split into sections that must be joined together by Velcro.</p> <p>This piece of equipment can be used both inside and outside as long as all safety procedures are followed.</p>							
Aspects to consider					Existing Control Measures?		Who is affected?	Is further action required?		
Areas of risk	Hazard Identified	Rating	Yes	No	Procedures/Strategies		Staff (S) Public(P)	What?	By when?	Completed?
1. Assault Course										
	Over enthusiastic participants	L			Adult supervision at all times		All Users			
	Jumping off unit	M			Soft area on entrance of castle. Leaders instructed to supervise getting on and off. Adult supervision at all times		All Users			
	Inflatable blowing away	M			Do not use in strong winds, inflatable must be securely anchored by ground pegs					
	Larger participants colliding with smaller participants	M			Leaders advised to only allow similar sized people on the bouncy castle at any one time.		All Users			

SPLASH INFLATABLES



	Tripping over anchorage points/spare equipment/electrical cable	M		In event of large numbers of participants attending, additional safety fencing erected. Where possible electrical cable does not cross any public pathway. If unavoidable cable erected overhead or covered.	All Users		
	Slipping	M		No shoes to be worn on the bouncy castle to keep the surface clean do not use when wet or raining.	All Users		
	Falling on neck	H		Instruction given to group leader stating bouncing up and down only, not flips and slide down the slide feet first	All Users		
	Jumping off front of the unit	M		Adult supervision at all times	All Users	Additional safety mats in front of unit	
	Falls from height	H		Adult supervision at all times	All Users	Do not allow children to climb walls or beams.	





RISK ASSESSMENT FOR GLADIATOR DUEL									
Work area Activity Halls(Main Entrance)			<p>The Gladiator Duel is a 20ft x 17ft Bouncy castle bed with two podiums in the middle; the podiums are metal and have protective foam around them. There are two sticks that are used to knock the opponent of their podium.</p> <p>This piece of equipment can be used both inside and outside as long as all safety procedures are followed.</p>						
Aspects to consider					Existing Control Measures?		Who is affected?	Is further action required?	
Areas of risk	Hazard Identified	Rating	Yes	No	Procedures/Strategies	Staff (S) Public(P)	What?	By when?	Completed?
1. Gladiator duel									
	Over enthusiastic participants	L			Adult supervision at all times	All Users			
	Jumping off unit	M			Soft area on entrance of castle. Leaders instructed to supervise getting on and off. Adult supervision at all times	All Users			
	Inflatable blowing away	M			Do not use in strong winds, inflatable must be securely anchored by ground pegs				
	Larger participants colliding with smaller participants	M			Leaders advised to only allow similar sized people on the bouncy castle at any one time.	All Users			
	Tripping over anchorage points/spare	M			In event of large numbers of participants attending, additional				



	equipment/electrical cable			safety fencing erected. Where possible electrical cable does not cross any public pathway. If unavoidable cable erected overhead or covered.	All Users		
	Slipping	M		No shoes to be worn on the bouncy castle to keep the surface clean do not use when wet or raining.	All Users		
	Falling on neck	M		Instruction given to group leader stating bouncing up and down only, not flips and slide down the slide feet first.	All Users		
	User falling from podium during activity	M		Ensure inflatable bed is fully inflated and covers entire fall off area.	All Users		
	Users getting hurt from blows by other participant	M		Ensure all users wear safety equipment provided	All Users	Adult supervision at all times	
	Falling from inflatable bed	M		Safety mat placed around the entrance and exits	All Users	Only the two participants who are dualing allowed on the bed. Adult Supervision	

Signed: Co-ordinator/ Robert Weir 21/06/2021

SPLASH INFLATABLES

